



A little touch of colour makes all the difference

We simply added flowing curves and vibrant colours...



clip'n color a unique concept of 7 interchangeable colours

Thanks to an exclusive system of modular 'skins', Odysseé by POSLIGNE®, and the matching ODP 200 printer, can change colour to match surroundings and adapt to any commercial location and brand image.

The interchangeable colour clip-on bezel, customer display and side details, along with the printer cover, can be easily attached and detached any time, enabling 14 different colour combinations.


Innovative design and feel

With soft fluid curves, distinct from the sharp angles of traditional POS equipment, Odysseé's elliptical lines emphasize its exclusive contemporary design.


Choose your palette, combine colours, customise!



colour of the clips



colour of the base



choose your palette,
combine colours!

specific colours available on request



ODYSSÉE by POSLIGNE®

In stark contrast to other 'black box' POS systems, which often look very similar and indistinguishable, Odysseé opens up new horizons in the world of point of sale IT equipment.

Its exclusive shape and unique colour palette enable a completely new approach to the selection of POS equipment: choose a system which meets the design require-

ments of new commercial areas, blends perfectly with store décor and styling, and enhances brand image and identity at the point of sale.

Specially developed for all retail outlets such as department stores, shops and supermarkets, and also for the hospitality industry, the Odysseé adapts to any point of service location.

The first POS system
which perfectly matches
your brand identity



the best OF POS TECHNOLOGY

With tens of thousands of systems installed across many countries, POSLIGNE® products are well established, thanks to their renowned reliability and durability.

Developed with similar care, Odysseé benefits from the same quality and offers the best technological advantages to respond to the most demanding POS applications.

Odysseé is equipped with a 2.5Ghz processor and 512 Mb memory as standard.

Particular attention was given to its cooling system, resulting in Odysseé being one of the most silent machines on the market.

14 communication ports, including the 4 x Retail USB and the 4 x powered serial

ports, enable connection with all POS peripherals. The video output allows advertising or marketing on an additional screen.

Odysseé is equipped with a quickly accessible compact flash card reader. Cards can be easily inserted thanks to a removable cover located on the left side of the terminal.


The integrated customer display on the upper part of the system - at eye level - can be tilted to provide optimal visual comfort.

Reliable and fast, the matching thermal receipt printer, the ODP 200, offers a simplified paper loading system, for user-friendliness at the till.

Simplified maintenance

Simplifying maintenance was one of the main objectives when developing Odysseé.

The hard disk, for example, is mounted on a rack which can be accessed and removed without any tools. The main board is also very easy to reach, via 2 simple screws located on the rear of the machine.



Optional CD/DVD and 2 USB outputs on the front



Accessible compact flash card reader



Optional version without integrated customer display



14 ports to connect all POS peripherals



Contactless RFID reader + ID cards & Dallas key readers



Can be wall mounted



product focus Odysseé

Touch screen	15"
Processor	INTEL Celeron 2.5 GHz
Hard disk(s)	from 40 Gb 3.5" 2 nd hard disk available as an option
Memory	512 Mb upgradeable to 1 Gb
Touch screen type	Elo Resistive 5 wire
Viewing angle	Tilt angle 60°
Pixels	1024 X 768
Brightness	250 cd/m ²

Connectivity

USB 2.0 ports	2 or 4 (2 on front side)
USB retail 24V output	1 rear side
USB retail 12 V output	1 rear side
Serial ports	4 (5V or 12V, pin 1 or 9)
Parallel port	1
24V output for printer	1
Network output 10/100	1
Cash-drawer output	1
Keyboard/mouse output	1
Video output	1 (option)

Various

Compact Flash reader	1 beneath side cover/hatch
Loud speakers	2 x 2W
Mini port PCI	1 integrated
Dimensions (HxDxL)	235 x 400 x 420 mm
Weight	10.2 kg

Options

Badge and magnetic card readers
RFID cards readers - proximity contactless cards
Dallas key readers
Integrated CD/DVD reader, Interface Wi-Fi



product focus Odp 200

Printing method	Direct thermal
Printing speed	150 mm/sec
Effective printing width	72 mm
Resolution	180 DPI or 203 DPI
Paper loading	'easy paper drop-in' system
Character/line	Font A: 42 columns 180 DPI 48 columns 203 DPI Font B: 56 columns 180 DPI 64 columns 203 DPI
Paper type	Thermal paper
Width	80 mm standard - from 50 up to 82.5 mm
Thickness	0.065 ~ 0.1mm
Roll diameter	76 mm standard - max. 102 mm
Alphanumeric characters	95
Extended graphics	128 / 7 Page(1 space page)
International characters	10
Barcodes	EAN-8 & 13, CODE 39, ITF, UPC-A, CODABAR, CODE 93 & 128, PDF 417 (2D)
Emulation	ESC/POS* command compatible
Sensor	Paper end sensor
Draw port	1
Interface	Serial (RS-232C), Parallel (IEEE-1284), USB combo, Ethernet Interface (10Mbps), Wi-Fi (802.11b)
Power	external 24 V - 2.5A - 110 x 65 x 30 mm
Auto cutter:	
Type	Guillotine
Life	1,000,000 cuts
Cutting method	Full/Partial cut
Dimension (WxDxH)	152 x 222.3 x 156.2 mm
Weight	1.7 Kg

*ESC/POS is a trade mark of Seiko Epson Corporation

colour of the clips



colour of the base



colour of the clips



colour of the base



AURES SA

32, rue du Bois Chaland
91090 Lisses - FRANCE
+33 (0)1 69 11 16 60

AURES Ltd

Unit 2, Chandler Court - Picow Farm Road
Runcorn, Cheshire, UK, WA7 4UH
+44(0)1928 591 222

AURES GmbH

Maisacherstr. 118
82256 Fürstenfeldbruck
Deutschland
+49 (0)8141-22715-0

www.ares.com



ODYSSÉE by POSLIGNE®

Don't hide
your POS equipment...
Let it blend in!

AURES
TECHNOLOGIES